

# ICD-10

---

October 1, 2015

# Why is SSIS Changing to ICD-10 CM?

---

- Federal Health Insurance Portability and Accountability Act (HIPAA) law requires the use of the International Classification of Diseases, Tenth Edition (ICD-10 CM) nationwide as of October 1, 2015.
- All Health Care Providers are expected to use ICD-10 CM and have received training.
- Payments to providers, including reimbursement to local agencies, require using ICD-10 codes for services provided on 10/1/2015 or later.
- SSIS added this requirement in Version 14.3 before the implementation date was delayed one year by Congress.

# Why is SSIS Changing to ICD-10 CM, Continued?

---

- From the Federal Website, Medicaid.gov, ICD-10 CM is replacing ICD-9 for the following reasons:

*The practice of medicine has changed dramatically in the last 25 years or so. There have been many new conditions discovered, many new treatments developed, and many new types of medical devices have been placed into service. The ICD-9 code set was not designed to capture all of this progress, and as such, has become bogged down with many types of modifications to attempt to capture information. The ICD-10 code set is much better at describing the current practice of medicine, and has the flexibility to adapt as medicine changes.*

*Diagnosis codes and procedure codes permeate almost every business process and system in both health plan and provider organizations. Diagnosis codes are key for determining coverage and are used in treatment decisions. From plan design to statistical tracking of disease, these codes are a crucial part of the way health plans — including State Medicaid agencies — run their programs.*

# Why are Multiple Code Sets in SSIS?

---

- ICD-9 Diagnosis Codes will remain in the SSIS application as Agencies have up to one year after the month of service to submit claims using these codes.
- SSIS added ICD-10 codes in Version 14.3 before the implementation date was delayed one year by Congress.

# DSM-IV

---

- The American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders, 4<sup>th</sup> Edition was originally published in 1994.
- It was revised in 2013 and is now called the Diagnostic and Statistical Manual of Mental Disorders, 5<sup>th</sup> Edition (DSM-5).

# MOVE TO BETTER PLACE LATER

## SSIS is Not Implementing DSM-V Codes

---

- DSM-5 references the related ICD-10 codes, so it is not necessary to implement them in SSIS.

# Minnesota DHS Guidance on ICD-10

---

- DHS Mental Health Staff Division instructed mental health providers responsible for diagnosing clients that effective April 1, 2014 they should begin to evaluate for ICD-10-CM diagnosis. Because of the listing of the ICD-10-CM codes in the DSM-5, training that is focused solely on the ICD-10-CM is not necessary for clinicians to learn the appropriate codes for billing purposes.
- Beginning April 1, 2014, mental health professionals using DSM-5 criteria must clearly document a client's diagnosis when identifying the description between the different code sets. Even though DSM-5 references ICD-10, **there is not always a one to one match between DSM-5 and ICD names/diagnoses**. Because of these differences some diagnostic assessments or letters from mental health providers to counties and tribes may contain different diagnostic descriptions from three code sets.

# Examples

---

- Example of three different code set descriptions:
  - DSM-5 - a new diagnosis called Disruptive Mood Dysregulation Disorder
  - ICD-9 diagnosis is 296.99 - Other specified episodic mood disorder
  - ICD-10 diagnosis is F34.8 - Other persistent mood (affective) disorders
- County and tribal staff should select ICD-10 code (F34.8) in SSIS.

## SSIS Update Articles on ICD-10 Implementation 2014-2015

---

- Update 386, page 5
- Update 391, Page 2
- Update 392, page 1
- Update 406, page 1
- Update 409, page 4

# Use of ICD-10 in SSIS

---

- The Fiscal standard is ICD-10 codes are available.
- It is only a requirement that they be used for claiming 10/1/15 and after. So if a client has an ICD-10 Diagnosis of XYZ they have that diagnosis now and a current or past date would be entered as the effective date of the diagnosis.
- SSIS will determine, based on service dates, if the claim should have the ICD-9 or ICD-10 code included.

# Worker Entry of Client Diagnosis

---

- Based on Program area requirements, workers enter a client's diagnosis.
- Entry of Client diagnoses can assist workers with case management service needs.

# Current Diagnosis Screen

Diagnosis | Professionally Determined Disabilities | Substance Involvement

Type	Code	Diagnosis	Primary Diagnosis	Diagnosis Start Date	Diagnosis End Date
DSM-IV	300.00	Anxiety disorder NOS			

Type:  Code:  Diagnosis:

Diagnosis code effective dates not available. DSM codes are not billable.  
Select an ICD code if the diagnosis is needed for billing purposes.

Client's Diagnosis Information

Diagnosis Start Date:  Diagnosis End Date:

Primary Diagnosis:  Yes  No

# Diagnosis Option Comparison

---

2014

Type:

DSM-IV

ICD-9-CM

DSM-IV

ICD-10-CM

2015

Type:

ICD-10-CM

ICD-9-CM

DSM-IV

ICD-10-CM

# New Entry Screen

---

Type:  Code:  Diagnosis:

Diagnosis code effective dates: No date info available

Client's Diagnosis Information

Diagnosis Start Date:  Diagnosis End Date:

Primary Diagnosis:  Yes  No

# Can We Figure Out ICD-10 Codes for Clients When Not Received From Providers?

---

- Answer: No. Local Agency workers cannot cross-walk DSM-IV, DSM-V, or ICD-9 CM codes.
- Providers must use ICD-10 codes per HIPAA.
- ICD-10 codes number approximately 68,000 to ICD-9-CM number of approximately 13,000 to DSM-IV number of approximately 1,000.

# Entering ICD-10 Diagnosis Codes



---

- Enter the ICD-10 Code number.
- The Diagnosis Description auto-populates.

Type:	Code:	Diagnosis:
ICD-10-CM	F34.8	[Other persistent mood [affective] disorders
Diagnosis code effective dates: 10/01/2015 to present.		
Client's Diagnosis Information		
Diagnosis Start Date:	07/28/2014	Diagnosis End Date:
Primary Diagnosis:	<input checked="" type="radio"/> Yes	<input type="radio"/> No

# Click the Code Search Button

- The ICD-10 Code Search displays. However, either the Code or Description must be known before Search results to display to select for the client.



A screenshot of the ICD-10 Code Search application interface. The top bar shows 'Searches:' with a dropdown menu, 'Max results:' set to '500', a checked 'Search on open' checkbox, and a status indicator '0.15 Secs, 0 Results'. Below this, there are two input fields: 'Code:' and 'Description:'. To the right of these fields are two buttons: 'Search' and 'Clear'. Below the input fields is a scrollable area containing the text '<No data to display>'. The interface has a grey background and a white text area for results.

# Advanced ICD-10 Code Search

Advanced ICD-10 Code Search provides the Chapter and Block Ranges of different codes.


Note scroll bars on each section.

Range	Description
A00-B99	Certain infectious and parasitic diseases
C00-D49	Neoplasms
D50-D89	Diseases of the blood and blood-forming organs
E00-E89	Endocrine, nutritional and metabolic diseases
F01-F99	Mental, Behavioral and Neurodevelopmental disorders
G00-G99	Diseases of the nervous system

Range	Description
B50-B64	Protozoal diseases
B65-B83	Helminthiasis
B85-B89	Pediculosis, acariasis and other infestations
B90-B94	Sequelae of infectious and parasitic diseases
B95-B97	Bacterial and viral infectious agents
B99-B99	Other infectious diseases

# Viewing Chapter and Block Codes



The screenshot displays the ICD-10 Chapter and Block Codes interface. It is divided into three main sections: ICD-10 Chapter, ICD-10 Block, and ICD-10 Codes.

**ICD-10 Chapter**

Range	Description
C00-D49	Neoplasms
D50-D89	Diseases of the blood and blood-forming organs
E00-E89	Endocrine, nutritional and metabolic diseases
F01-F99	Mental, Behavioral and Neurodevelopmental disorders
G00-G99	Diseases of the nervous system
H00-H59	Diseases of the eye and adnexa

**ICD-10 Block**

Range	Description
G00-G09	Inflammatory diseases of the central nervous system
G10-G14	Systemic atrophies primarily affecting the central nervous system
G20-G26	Extrapyramidal and movement disorders
G30-G32	Other degenerative diseases of the nervous system
G35-G37	Demyelinating diseases of the central nervous system
G40-G47	Episodic and paroxysmal disorders
G50-G59	Nerve, nerve root and plexus disorders

**ICD-10 Codes**

Code	Diagnosis
G00	Bacterial meningitis, not elsewhere classified
G00.0	Hemophilus meningitis
G00.1	Pneumococcal meningitis
G00.2	Streptococcal meningitis
G00.3	Staphylococcal meningitis

Code:       Diagnosis:

Start Date:       End Date:

The diagnosis code is not specific enough for claiming.

- Click on either a specific Chapter or Block and the beginning of these ICD-10 Code and Diagnosis Descriptions display.
- Information on whether a code is claimable also displays.

# Diagnosis Grid Lists all Entries

Diagnosis | Professionally Determined Disabilities | Substance Involvement

Type	Code	Diagnosis	Primary Diagnosis	Diagnosis Start Date	Diagnosis End Date
ICD-10-CM	F34.8	Other persistent mood «affective» disorders	Yes	07/28/2014	
ICD-10-CM	G00.1	Pneumococcal meningitis	No	04/06/2015	06/07/2015

Type: ICD-10-CM Code: G00.1 Diagnosis: Pneumococcal meningitis

Diagnosis code effective dates: 10/01/2015 to present.

Client's Diagnosis Information

Diagnosis Start Date: 04/06/2015 Diagnosis End Date: 06/07/2015

Primary Diagnosis:  Yes  No