

Minnesota DC:0-3R Crosswalk to ICD codes

DC 0-3R Disorders 5 Axial Classifications- <i>use for all children under the age of 5</i>		ICD-9 Billing Codes	Description of ICD-9 Codes	DSM-IV Codes with Descriptions	ICD- 10 Billing Codes	Description of ICD 10 Codes	DSM-5 Disorders Non-axial Classifications- <i>not appropriate for most children under the age of 5</i>
Axis I: Clinical Disorders							
100	Post-Traumatic Stress Disorder (this diagnosis must be considered first according to the DC:0-3R decision tree)	309.81	Prolonged posttraumatic stress disorder	309.81 Post-traumatic stress disorder	F43.10	Post-traumatic stress disorder, unspecified	Posttraumatic Stress Disorder
					F43.11	Post-traumatic stress disorder, acute	
					F43.12	Post-traumatic stress disorder, chronic	
		308.3	Other acute reactions to stress		F43.0	Acute Stress Disorder	Acute Stress Disorder
		308.9	Unspecified acute reaction to stress	F43.0	Acute stress reaction	Other Specified Trauma and Stressor-Related Disorder	
				R45.7	State of emotional shock and stress, unspecified		
150	Deprivation/Maltreatment Disorder	313.89	Other or mixed emotional disturbances of childhood or adolescence, Other (Reactive Attachment Disorder)	313.89- Reactive Attachment Disorder of Infancy or Early Childhood	F94.1	Reactive attachment disorder of childhood	Reactive Attachment Disorder
					F93.8	Other childhood emotional disorders	
					F93.9	Childhood emotional disorder, unspecified	
					F94.2	Disinhibited attachment disorder of childhood	
					F94.9	Childhood disorder of social functioning, unspecified	
					F98.8	Childhood disorder of social functioning, unspecified	
		313.9	Unspecified emotional disturbance of childhood or adolescence		F94.2	Disinhibited attachment disorder of childhood	Disinhibited Social Engagement Disorder
					F93.9	Childhood emotional disorder, unspecified	
				F94.8	Other childhood disorders of social functioning		
				F98.9	Unspecified behavioral and emotional disorders with onset usually occurring in childhood and adolescence		
200	Disorders of Affect						
210	Prolonged Bereavement/Grief Reaction	309.1	Prolonged depressive reaction	V62.82 Bereavement	F43.8	Other reactions to severe stress	Adjustment Disorder with Depressed Mood
					Z63.4	Disappearance and death of family member	Adjustment Disorder with mixed anxiety and depression
220	Anxiety Disorders of Infancy & Early Childhood						
221	Separation Anxiety Disorder	309.21	Separation anxiety disorder	309.21 Separation Anxiety Disorder	F93.0	Separation anxiety disorder of childhood	Separation Anxiety Disorder

Minnesota DC:0-3R Crosswalk to ICD codes

DC 0-3R Disorders 5 Axial Classifications- <i>use for all children under the age of 5</i>		ICD-9 Billing Codes	Description of ICD-9 Codes	DSM-IV Codes with Descriptions	ICD- 10 Billing Codes	Description of ICD 10 Codes	DSM-5 Disorders Non-axial Classifications- <i>not appropriate for most children under the age of 5</i>
Axis I: Clinical Disorders							
222	Specific Phobia	300.29	Other isolated or specific phobias	300.29 Specific Phobia	F40.218 F40.220 F40.8 F94.8	Other animal type phobia Fear of Thunderstorms Other phobic anxiety disorder Other childhood disorders of social functioning	Specific Phobia
223	Social Anxiety Disorder (Social Phobia)	300.23	Social Phobia	300.23 Social Phobia	F40.10 F40.11	Social phobia, unspecified Social phobia, generalized	Social Anxiety Disorder (Social Phobia)
224	Generalized Anxiety Disorder	300.02	Generalized, Anxiety Disorder	300.02 Generalized Anxiety Disorder	F41.1	Generalized anxiety disorder	Generalized Anxiety Disorder
225	Anxiety Disorder Not Otherwise Specified (NOS)	300.00	Anxiety state, unspecified	300.00 Anxiety Disorder NOS	F41.9	Anxiety disorder, unspecified	Unspecified Anxiety Disorder
230	Depression of Infancy and Early Childhood						
231	Type I: Major Depression	296.20	Major depressive disorder, single episode, unspecified	296.20 Major depressive disorder, single episode, unspecified	F32.9	Major depressive disorder, single episode, unspecified	Major depressive disorder, single episode
		296.21	Major depressive disorder, single episode, Mild	296.21 Major depressive disorder, single episode, mild	F32.0	Major depressive disorder, single episode, Mild	
		296.22	Major depressive disorder, single episode, Moderate	296.22 Major depressive disorder, single episode, moderate	F32.1	Major depressive disorder, single episode, Moderate	
		296.23	Major depressive disorder, single episode, Severe, w/o mention of psychotic features	296.23 Severe, w/o mention of psychotic features	F32.2	Major depressive disorder, single episode, Severe, without psychotic features	
		296.25	Major depressive disorder, single episode, in partial or unspecified remission	296.25 Major depressive disorder, single episode, in partial or unspecified remission	F32.4	Major depressive disorder, single episode, in partial remission	
		296.3	Major Depressive Disorder, recurrent episode	296.3 Major Depressive Disorder, recurrent episode (fifth digit must be inserted)	None	ICD-9-CM did not include 5 th digit.	Major depressive disorder, recurrent, in remission
		296.30	Major Depressive Disorder, recurrent episode, unspecified	296.30 Major Depressive Disorder, recurrent episode, unspecified	F33.40	Major depressive disorder, recurrent, in remission, unspecified	
					F33.9	Major depressive disorder, recurrent, unspecified	
		296.31	Major Depressive Disorder, recurrent episode, mild	296.31 Major Depressive Disorder, recurrent episode, mild	F33.0	Major Depressive Disorder, recurrent episode, mild	
296.32	Major Depressive Disorder, recurrent episode, moderate	296.32 Major Depressive Disorder, recurrent episode, moderate	F33.1	Major Depressive Disorder, recurrent episode, moderate			

Minnesota DC:0-3R Crosswalk to ICD codes

DC 0-3R Disorders 5 Axial Classifications- <i>use for all children under the age of 5</i>	ICD-9 Billing Codes	Description of ICD-9 Codes	DSM-IV Codes with Descriptions	ICD- 10 Billing Codes	Description of ICD 10 Codes	DSM-5 Disorders Non-axial Classifications- <i>not appropriate for most children under the age of 5</i>	
	Axis I: Clinical Disorders						
		296.33	Major Depressive Disorder, recurrent episode, severe, without mention of psychotic behavior	296.33 Major Depressive Disorder, recurrent episode, severe, without mention of psychotic behavior	F33.2	Major Depressive Disorder, recurrent episode, severe, without mention of psychotic features	
		296.34	Major Depressive Disorder, recurrent episode, severe, specified as with psychotic behavior	296.34 Major Depressive Disorder, recurrent episode, severe, specified as with psychotic behavior	F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms	
		296.35	Major Depressive Disorder, recurrent episode, in partial or unspecified remission	296.35 Major Depressive Disorder, recurrent episode, in partial or unspecified remission	F33.40 F33.41	Major depressive disorder, recurrent, in remission, unspecified Major depressive disorder, recurrent, in partial remission	
232	Type II; Depressive Disorder NOS	311	Depressive Disorder, NOS	311 Depressive Disorder NOS	F32.0	Major depressive disorder, single episode, mild	Unspecified Depressive Disorder
		313.1	Misery and Unhappiness Disorder		F32.9	Depressive episode, unspecified	Other Specified Mental Disorder
240	Mixed Disorder of Emotional Expressiveness	313.8	Other or mixed emotional disturbances of childhood or adolescence**	296.90 Mood Disorder NOS	F34.8 F39	Other persistent mood disorder Unspecified mood (affective disorder)	Unspecified Mental Disorder
		313.9	Unspecified emotional disturbance of childhood or adolescence				
300	Adjustment Disorder (According to the decision tree, this diagnosis should last no longer than 4 months)	309.0	Adjustment disorder w/depressed mood	309.0 Adjustment disorder w/depressed mood	F43.21	Adjustment disorder with depressed mood	Unspecified adjustment Disorder
		309.21	With predominant disturbance of other emotions Separation anxiety disorder	309.21 Separation anxiety disorder	F93.0	Separation anxiety disorder of childhood	
		309.22	With predominant disturbance of other emotions Emancipation disorder of adolescence and early adult life	309.22 Emancipation disorder of adolescence and early adult life	F43.29 F94.8	Adjustment disorder with other symptoms Other childhood disorder of social functioning	
300		309.23	With predominant disturbance of other emotions Specific academic or work inhibition	309.23 Specific academic or work inhibition	F43.29 F94.8	Adjustment disorder with other symptoms and Other childhood disorders of social functioning	
		309.24	With predominant disturbance of other emotions Adjustment disorder with anxiety	309.24 Adjustment disorder with anxiety	F43.22	Adjustment disorder with anxiety	
		309.28	With predominant disturbance of other emotions Adjustment disorder with mixed anxiety and depressed mood	309.28 Adjustment disorder with mixed anxiety and depressed mood	F43.23	Adjustment disorder with mixed anxiety and depressed mood	
		309.29	With predominant disturbance of other emotions Other	309.29 Other	F43.29	Adjustment disorder with other symptoms	

Minnesota DC:0-3R Crosswalk to ICD codes

DC 0-3R Disorders 5 Axial Classifications- <i>use for all children under the age of 5</i>	ICD-9 Billing Codes	Description of ICD-9 Codes	DSM-IV Codes with Descriptions	ICD- 10 Billing Codes	Description of ICD 10 Codes	DSM-5 Disorders Non-axial Classifications- <i>not appropriate for most children under the age of 5</i>	
Axis I: Clinical Disorders							
Adjustment Disorder (According to the decision tree, this diagnosis should last no longer than 4 months)				F94.8	Other childhood disorders of social functioning	Acute Stress Disorder	
	309.3	Adjustment disorder with mixed anxiety and depressed mood	309.3 Adjustment disorder with mixed anxiety and depressed mood	F43.24	Adjustment disorder with disturbance of conduct		
	309.4	Adjustment disorder with mixed disturbance of emotions and conduct	309.4 Adjustment disorder with mixed disturbance of emotions and conduct	F43.25	Adjustment disorder with mixed disturbance of emotions and conduct		
	309.81	Posttraumatic stress disorder	309.81 Posttraumatic stress disorder	F43.10	Post-traumatic stress disorder, unspecified		
				F43.11	Post-traumatic stress disorder, acute		
				F43.12	Post-traumatic stress disorder, unspecified, chronic		
	309.82	Adjustment reaction with physical symptoms	309.82 Adjustment reaction with physical symptoms	F43.29	Adjustment disorder with other symptoms		
				F43.8	Other reactions to severe stress		
	309.83	Adjustment reaction with withdrawal	309.83 Adjustment reaction with withdrawal	F43.8	Other reactions to severe stress		
	309.89	Other	309.89 Other	F43.8	Other reactions to severe stress		
309.9	Unspecified adjustment reaction	309.9 Unspecified adjustment reaction	F43.20	Adjustment disorder, unspecified			
			F43.9	Reaction to severe stress, unspecified			
400							
	Regulating Disorders of Sensory Processing- <i>According to the DC:0-3R manual, these diagnoses must include an assessment of sensory processing (an OT evaluation).</i>						
410	Hypersensitive (see codes for subtypes)						
411	Type A: Fearful/Cautious	300.02	Generalized Anxiety Disorder	313.9 Disorder of Infancy, Childhood or Adolescence NOS	F41.8	Other specific anxiety disorder	Generalized Anxiety Disorder
		313.00	Overanxious Disorder				
		313.21	Sensitivity/shyness disorder of childhood				
		313.22	Introverted disorder of childhood				
		313.9	Unspecified emotional disturbance of childhood or adolescence				
300.00	Anxiety Disorder NOS						
300.2	General Anxiety Disorder						
412	Type B: Negative Defiant	313.81	Oppositional Defiant Disorder	313.9 Disorder of Infancy, Childhood or Adolescence NOS	F91.3	Oppositional Defiant Disorder	Oppositional Defiant Disorder
		313.9					

Minnesota DC:0-3R Crosswalk to ICD codes

DC 0-3R Disorders 5 Axial Classifications- <i>use for all children under the age of 5</i>	ICD-9 Billing Codes	Description of ICD-9 Codes	DSM-IV Codes with Descriptions	ICD- 10 Billing Codes	Description of ICD 10 Codes	DSM-5 Disorders Non-axial Classifications- <i>not appropriate for most children under the age of 5</i>	
Axis I: Clinical Disorders							
		Unspecified emotional disturbance of childhood adolescence		F93.9	Childhood emotional disorder, unspecified		
			312.9 Disruptive Behavior Disorder NOS	F94.8	Other childhood disorders of social functioning		
				F98.9	Unspecified behavioral and emotional disorders with onset usually occurring in childhood and adolescence		
420	Hyposensitive/Under-responsive	313.20 Sensitivity, shyness, and social withdrawal disorder	313.9 Disorder of Infancy, Childhood or Adolescence NOS	F90.0	Disturbance of activity and attention	Attention Deficit/Hyperactivity Disorder Predominantly Inattentive Presentation	
		313.21 Shyness disorder of childhood					
		313.22 Introverted disorder of childhood					
		313.9 Unspecified emotional disturbance of childhood adolescence					
430	Sensory Stimulation-Seeking/Impulsive	312.30 Impulse control disorder unspecified	314.01 Attention Deficit Hyperactivity disorder Combined type with hyperactivity 313.90 Unspecified emotional disturbance of childhood adolescence	F63.9	Impulse Disorder Unspecified	Attention Deficit Hyperactivity Disorder Predominately Hyperactive/Impulsive	
		314.2 Hyperkinetic conduct disorder					
		313.9 Unspecified emotional disturbance of childhood adolescence					
		314.9 Unspecified hyperkinetic syndrome of childhood		F90.9	Attention Deficit Hyperactivity Disorder Unspecified		
500	Sleep Behavior Disorder						
510	Sleep-Onset Disorder (Protodyssomnia)	307.41 Transient disorder of initiating or maintaining sleep	307.42 Primary insomnia [Indicate Axis I or Axis II disorder] Insomnia related to:	F51.09	Other insomnia not due to a substance or known physiological condition	Insomnia Disorder	
		307.42 Persistent disorder of initiating or maintaining sleep		F51.01	Primary insomnia		
		307.40 Non-organic sleep disorder unspecified		307.45 Circadian Rhythm Sleep Disorder	F51.09		Other insomnia not due to a substance or known physiological condition unspecified
		307.45 Circadian Rhythm sleep disorder of non-organic origin			F51.8		Other sleep disorders not due to a substance or known physiological condition
520	Night-Waking Disorder (Protodyssomnia)	307.41 Transient disorder of initiating or maintaining sleep	307.41 Transient insomnia	F51.09	Other insomnia not due to a substance or known physiological condition unspecified	Insomnia Disorder	
		307.42 Persistent disorder of initiating or maintaining sleep	307.42 Primary Insomnia	F51.03	Paradoxical insomnia	Unspecified sleep wake cycle	
				F51.01	Primary insomnia		

Minnesota DC:0-3R Crosswalk to ICD codes

DC 0-3R Disorders 5 Axial Classifications- <i>use for all children under the age of 5</i>	ICD-9 Billing Codes	Description of ICD-9 Codes	DSM-IV Codes with Descriptions	ICD- 10 Billing Codes	Description of ICD 10 Codes	DSM-5 Disorders Non-axial Classifications- <i>not appropriate for most children under the age of 5</i>	
Axis I: Clinical Disorders							
				F51.09	Other insomnia not due to a substance or known physiological condition	Non-rapid eye movement sleep arousal disorders, sleepwalking type	
	307.45	Circadian Rhythm sleep disorder of non-organic origin	307.45 Circadian Rhythm Sleep Disorder	F51.8 G47.29	Sleep disorder, unspecified Other circadian rhythm sleep disorder	Non-rapid eye movement sleep arousal disorders, sleep terror type	
	307.46	Sleep arousal disorder	307.46 Sleep Terror Disorder	F51.3 F51.4	Sleep walking Sleep terrors [night terrors]		
	307.47	Other dysfunctions of sleep states or arousal from sleep	307.47 Nightmare Disorder	F51.5 F51.8	Nightmare Disorder Other sleep disorders not due to a substance or known physiological condition	Nightmare Disorder	
600	Feeding Behavior Disorder						
601	Feeding Disorder of State Regulation	307.5	Other and unspecified disorders of eating	307.59 Feeding Disorder of Infancy or Early Childhood	None	ICD-9-CM did not include 5 th digit	Avoidant/Restrictive Food Intake Disorder
		307.50	Eating disorder, unspecified	307.50 Eating Disorder Unspecified	F50.8 F50.9	Other Eating Disorders Eating disorder, unspecified	
602	Feeding Disorder of Caregiver-Infant Reciprocity	307.59	Other (feeding disorder of infancy or early childhood of non-organic origin)	307.59 Feeding Disorder of Infancy or Early Childhood	F50.8 F50.9	Other Eating Disorders Eating disorder, unspecified	Avoidant/Restrictive Food Intake Disorder
603	Infant Anorexia	307.59	Other (feeding disorder of infancy or early childhood of non-organic origin)	307.59 Feeding Disorder of Infancy or Early Childhood	F50.8 F50.9	Other Eating Disorders Eating disorder, unspecified	Avoidant/Restrictive Food Intake Disorder
604	Sensory Food Aversions	307.59	Other (feeding disorder of infancy or early childhood of non-organic origin)	307.59 Feeding Disorder of Infancy or Early Childhood	F50.8 F50.9	Other Eating Disorders Eating disorder, unspecified	Avoidant/Restrictive Food Intake Disorder
605	Feeding Disorder Associated with Concurrent Medical Condition	307.50	Eating Disorder Unspecified	307.50 Eating Disorder Unspecified	F50.8 F50.9	Other Eating Disorders Eating disorder, unspecified	Unspecified Feeding or Eating Disorder
606	Feeding Disorder Associated with Insults to the Gastrointestinal Tract	307.50	Eating Disorder Unspecified	307.50 Eating Disorder Unspecified	F50.8 F50.9	Other Eating Disorders Eating disorder, unspecified	Unspecified Feeding or Eating Disorder
700	Disorders of Relating and Communicating						
710	Multisystem Developmental Disorder (MSDD)- if Under the age of 2	299.00	Autistic disorder, current or active state	299.00 Autistic Disorder	F84.0	Autistic Disorder	Autism Spectrum Disorder
		299.01	Autistic disorder, residual state				
		299.10	Childhood disintegrative disorder, current or active state				

Minnesota DC:0-3R Crosswalk to ICD codes

DC 0-3R Disorders 5 Axial Classifications- <i>use for all children under the age of 5</i>	ICD-9 Billing Codes	Description of ICD-9 Codes	DSM-IV Codes with Descriptions	ICD- 10 Billing Codes	Description of ICD 10 Codes	DSM-5 Disorders Non-axial Classifications- <i>not appropriate for most children under the age of 5</i>
Axis I: Clinical Disorders						
	299.11	Childhood disintegrative disorder, residual state				
	299.80	Other specified pervasive developmental disorders, current or active stat				
	299.81	Other specified pervasive developmental disorders, residual state				
	299.90	Unspecified pervasive developmental disorder, current or active state				
	299.91	Unspecified pervasive developmental disorder, residual state				
	315.9	Unspecified delay in development	299.80 Pervasive Developmental Disorder NOS	F88	Other Disorders of Psychological Development	Other Specified Neurodevelopmental Disorder
	313.90	Unspecified emotional disturbance of childhood or adolescence)	313.9 Disorder of Infancy, Childhood or Adolescence NOS	F89	Unspecified Disorder of Psychological Development	Unspecified Neurodevelopmental Disorder
800	Other Disorders					

Minnesota's DC:0-3R Crosswalk to DSM IV-TR, DSM-5, ICD-9, ICD-10

This crosswalk is a combination of the Florida, Michigan and crosswalk developed by C Northcutt, PhD & B McCarroll, PhD(2013)