

# MONTHLY CRIB SAFETY INSPECTION FORM for CHILD CARE CENTERS

(Use one form per crib)

**A. Crib brand name** \_\_\_\_\_ **B. Crib Model number** \_\_\_\_\_ **C. Crib number (if numbered)** \_\_\_\_\_

A & B **must be** completed for every crib used or accessible to any child in care. If you do not have the crib brand name and model number, the crib may not be used.

Effective December 28, 2012, the licensed program must maintain documentation that meets federal documentation requirements to show that every full-size and non-full-size crib that is used by or is accessible to any child in care is compliant with federal crib standards under Code of Federal Regulations, title 16, part 1219, for full-size baby cribs, or Code of Federal Regulations, title 16, part 1220, for non-full-size baby cribs.

(Note inspection date under "date". All items must be inspected each month. Document actions taken below.)

Monthly Safety Inspection	Date											
Document date of inspection on this line (MM/DD/YEAR)												
<b>Cribs</b>												
<b>Any product of rigid construction – wood, metal full size &amp; non-full-size</b>												
1. No mattress supports can be easily dislodged from any point of the crib												
2. No screws, bolts, or hardware are loose or not secured, and there is no use of woodscrews in components that are designed to be assembled and disassembled by the crib owner												
3. No sharp edges, points, or rough surfaces are present												
4. No wood surfaces are rough, splintered, split, or cracked												
5. No unacceptable gaps between the mattress and any sides of the crib are present at any of the mattress support positions:												
a. When the noncompressed mattress is centered in the <b>non-full-size crib</b> , the gap between the perimeter of the mattress and the crib is not greater than ½ inch at any point.												
b. When the noncompressed mattress is placed against the perimeter of the <b>non-full-size crib</b> , the resulting gap between the perimeter of the mattress and the crib is not greater than 1 inch at any point.												
c. When the noncompressed mattress is centered in the <b>full-size crib</b> , the gap between the perimeter of the mattress and the crib is not greater than 11/16 inch at any point.												
d. When the noncompressed mattress is placed against the perimeter of the <b>full-size crib</b> , the resulting gap between the perimeter of the mattress and the crib is not greater than 1- 3/8 inch at any point.												
6. Crib sheet fits tightly on the firm mattress and overlaps mattress so it cannot be dislodged by <b>pulling on the corner of the sheet</b>												

Place a plus (+) for meets requirements or a minus (-) for does **not** meet requirements for each applicable item. Upon discovery of any unsafe conditions during the safety inspection, immediately remove the crib from use and ensure the crib is not accessible to children. As soon as practicable, but not more than two business days after the inspection, remove the crib from the area where child care services are routinely provided and make necessary repairs or destroy the crib. Document the action(s) taken regarding unsafe cribs below.

## ANNUAL CERTIFICATION OF CRIB

On \_\_\_\_\_ (date), I \_\_\_\_\_ (name and title) checked the crib brand name and model number listed above against the U.S.

Consumer Product Safety Commission Web site listing of unsafe cribs. ([www.cpsc.gov](http://www.cpsc.gov)) Check the applicable box below:

The crib was not identified as unsafe on the U.S. Consumer Product Safety Commission Web site.

The crib was identified as unsafe on the U.S. Consumer Product Safety Commission Web site, but I have taken the action directed by the United States Consumer Product Safety Commission to make the crib safe. (Identify all actions taken below).

The crib was identified as unsafe on the U.S. Consumer Product Safety Commission Web site, and I have removed the crib on \_\_\_\_\_ (date) so that the crib is no longer used by or accessible to children in care.

**Maintain this document on site and make it available to parents of children in care and the commissioner upon request.**

Action taken regarding unsafe crib during the monthly crib safety inspection: \_\_\_\_\_